



### Behavioral Health is Essential To Health



#### **Prevention Works**



Treatment is Effective



People Recover









### Best Practice Recommendations for Treatment of Opioid Use Disorders

#### Kimberly Johnson, PhD

Director, Center for Substance Abuse Treatment Substance Abuse and Mental Health Services Administration U.S. Department of Health & Human Services

The Opioid Crisis in Alabama: From Silos to Solutions Prattville, AL • March 10<sup>th</sup>, 2017





#### SUBSTANCE USE CONTINUUM OF CARE

Risk Reduction

Treatment/
Recovery
Engagement

Prevention

Recovery Maintenance

#### **2016 SURGEON GENERAL's REPORT**

MAT is a highly effective treatment option for individuals with alcohol and opioid use disorders.

Studies have repeatedly demonstrated the efficacy of MAT at reducing illicit drug use and overdose deaths, improving retention in treatment, and reducing HIV transmission.

#### **VA-DoD SUD Guideline Key Recommendations**

•	Screening and brief alcohol		
	intervention		

- Treatment (pharmacotherapy and psychosocial interventions)
  - Alcohol use disorder
  - Opioid use disorder
  - Cannabis use disorder
  - Stimulant use disorder
- Promoting group mutual help (e.g. AA, NA, Smart Recovery)
- Address co-occurring mental health conditions and psychosocial problems
- Continuing care guided by ongoing assessment
- Stabilization and withdrawal


SUD	Medications	Psychosocial Intervention
Alcohol	Acamprosate Disulfiram Naltrexone Topiramate Gabapentin*	Behavioral Couples Therapy Cognitive Behavioral therapy (CBT) Community Reinforcement Approach (CRA) Motivation Enhancement Therapy (MET) Twelve Step Facilitation
Opioid	Buprenorphine Methadone ER-Injectable Naltrexone*	Medical Management** Contingency Management (CM)/Individual Drug Counseling (IDC)**
Cannabis		CBT/MET
Stimulant		CBT/CRA/IDC +/- CM

<sup>\*</sup>suggested \*\*recommended only with medication

#### **MEDICATIONS**

- → Methadone and buprenorphine are approved by the FDA to treat opioid use disorder
  - Both are opioid agonists
- → Extended-release injectable naltrexone is approved by the FDA for the prevention of relapse to opioid use after detoxification
  - An opioid antagonist

#### DETOXIFICATION <u>IS NOT</u> TREATMENT




# SELECT BENEFITS OF USING MEDICATION TO TREAT OPIOID USE DISORDER




- → Reduces all cause mortality
- → Reduces HIV risk
- → Decreases criminal behaviors
- →Improves adherence to medical treatment
- →Improves social function, stability, and productivity
- → Decreases drug use

#### **MAT SAVES LIVES**




#### **METHADONE IMPROVES OUTCOMES**




# SCIENTIFIC EVIDENCE THAT BUPRENORPHINE *IMPROVES* OUTCOMES

- → Buprenorphine: Is associated with improved outcomes compared to placebo for individuals including pregnant women and their infants with OUDs.
  - Effective in reducing illegal opioid use
  - Clinical experience and research protocols indicate that buprenorphine initiation and stabilization during the induction period is an important part of successful treatment

#### **BUPRENORPHINE IMPROVES OUTCOMES**




#### NALTREXONE-XR *IMPROVES* OUTCOMES



# OPENING *EVERY* DOOR TO TREATMENT: STRATEGIES TO REDUCE HARM

- → Use these strategies to engage people in treatment while addressing the needs of those who are not yet ready to participate in treatment. Substantial evidence supports their effectiveness.
  - Public health-oriented, evidence-based, and costeffective services to prevent and reduce substance userelated risks among those actively using substances.
  - Services include outreach and education programs, needle/syringe exchange programs, overdose prevention education, and access to naloxone to reverse potentially lethal opioid overdose.

## NATIONAL DISCONNECT: OUD TREATMENT & FOLLOW-UP SERVICES



#### **MEDICATION TRAINING & OD PREVENTION**








Focus on safe opioid prescribing www.pcss-o.org

Focus on OUD treatment www.pcssmat.org

Focus on CMEaccredited trainings on safe use of opioids



http://store.samhsa.gov/product

#### **PAIN MANAGEMENT & OUDs**



http://pcss-o.org/

View Menu

« All Events


### Providing Safe and Effective Pain Management while Preventing Diversion and Misuse of Opioids

April 19, 2017 @ 3:00 pm - 4:00 pm ET

Presenter(s): Michael E. Schatman, PhD, CPE, Director of Research, U.S. Pain Foundation

Managing Chronic Pain in
Adults With or in Recovery
From Substance Use Disorders









Morbidity and Mortality Weekly Repor

CDC Guideline for Prescribing Opioids for Chronic Pain — United States, 2016

#### SAMPLE SAMHSA RESOURCES



#### SAMHSA MATX



http://store.samhsa.gov/apps/mat/

#### WE'RE HERE TO HELP YOU HELP THOSE IN NEED



- → Division of Pharmacologic Therapies: 240-276-2700
  - Mitra Ahadpour, MD, DABAM, Director
  - otpextranet@opioid.samhsa.gov
  - https://www.samhsa.gov/medic ation-assisted-treatment
  - infobuprenorphine@samhsa.hhs .gov

#### BEST PRACTICES FOR OUD TREATMENT

### **THANK YOU!**

Kimberly.Johnson@samhsa.hhs.gov



https://www.recoverymonth.gov/